

What is Claimed is:

1. A video game device comprising:

a monitor;

a display unit for displaying an event place where a specific event is performed on the monitor;

a sound output unit for outputting a background sound relating to the event;

a memory for storing a background sound data relating to the event;

an event place determining unit for determining types of event places; and

a background sound controller for reading out the background sound data from the memory, outputting it as a background sound and performing an echo process on the background sound in response to the type of the event place determined by the event place determining unit.

2. A video game device according to claim 1, further comprising a game selection unit for selecting one game program from a plurality of game programs stored in the memory and the specific event is carried out when one game program is selected from the plurality of programs stored in the memory.

3. A video game device according to claim 1, wherein the

background sound is repeatedly outputted from the sound output unit after a time delay which is set in accordance with the type of the event place and the later one of background sounds is outputted in lower volume than the previous one of background sounds.

4. A video game device according to claim 3, wherein the same background sound data is repeatedly read after a time delay which is set in accordance with the type of the event place and the read background sound data is outputted from the sound output unit as a background sound.

5. A video game device according to claim 4, wherein, the later one of background sounds among the background sounds outputted from the sound output unit is outputted in the lower volume than the previous one of background sounds, and a degree of lowered volume of the later one in comparison to the previous one is set in accordance with the type of the event place.

6. A video game device according to claim 1, further comprising a main processor for performing a processing related to an execution of an event and a sound processor for performing a processing related to outputting a background sound, and the sound processor includes said event place determining unit and said background sound controller and wherein when an order of

outputting the background sound is issued from the main processor, the sound processor determines the type of event place and performs an echo process on the background sound in accordance with the type of the determined event place.

7. A background sound outputting method for a video game comprising the steps of:

displaying on a monitor an event place;
executing a specific event in the event place;
outputting from a sound output unit a background sound relating to the event;
determining a type of the event place;
reading the background sound data stored in a memory;
outputting the background sound data as a background sound;
and
performing an echo process on the background sound in response to said determined type of the event place.

8. A background sound outputting method according to claim 7, further comprising the step of selecting one game program from a plurality of game programs stored in the memory and the specific event is carried out when one game program is selected from the plurality of programs stored in the memory.

9. A background sound outputting method according to claim

7, wherein the background sound is repeatedly outputted from the sound output unit after a time delay which is set in accordance with the type of the event place and the later one of background sounds is outputted in lower volume than the previous one of background sounds.

10. A background sound outputting method according to claim 9, wherein the same background sound data is repeatedly read after a time delay which is set in accordance with the type of the event place and the read background sound data is outputted from the sound output unit as a background sound.

11. A background sound outputting method according to claim 10, wherein, the later one of background sounds among the background sounds outputted from the sound output unit is outputted in the lower volume than the previous one of background sounds, and a degree of lowered volume of the later one in comparison to the previous one is set in accordance with the type of the event place.

12. A background sound outputting method according to claim 7, further comprising the steps of a main process for performing a processing related to an execution of an event and a sound process for performing a processing related to outputting a background sound, and when an order of outputting the background

sound is issued on the main process, the sound proces determines the type of event place and performs an echo process on the background sound in accordance with the type of the determined event place.

13. A computer-readable recording medium containing a background sound outputting program for a video game, the program comprising the steps of:

displaying on a monitor an event place;
executing a specific event in the event place;
outputting from a sound output unit a background sound relating to the event;
determining a type of the event place;
reading the background sound data stored in a memory;
outputting the background sound data as a background sound;
and
performing an echo process on the background sound in response to said determined type of the event place.

14. A computer-readable recording medium according to claim 13, the program further comprising the step of selecting one game program from a plurality of game programs stored in the memory and the specific event is carried out when one game program is selected from the plurality of programs stored in the memory.

15. A computer-readable recording medium according to claim 13, wherein the background sound is repeatedly outputted from the sound output unit after a time delay which is set in accordance with the type of the event place and the later one of background sounds is outputted in lower volume than the previous one of background sounds.

16. A computer-readable recording medium according to claim 15, wherein the same background sound data is repeatedly read after a time delay which is set in accordance with the type of the event place and the read background sound data is outputted from the sound output unit as a background sound.

17. A computer-readable recording medium according to claim 16, wherein the later one of background sounds among the background sounds outputted from the sound output unit is outputted in the lower volume than the previous one of background sounds, and a degree of lowered volume of the later one in comparison to the previous one is set in accordance with the type of the event place.

18. A computer-readable recording medium according to claim 13, the program further comprising the step of determining whether the echo process needs to be applied to the background

sound outputted from the sound output unit.

19. A computer-readable recording medium according to claim 18, wherein the background sound which the echo process applies to is an announcing sound relating to the event.

20. A computer-readable recording medium according to claim 13, the program further comprising the steps of:

a main process for performing a processing relating to execution of the event; and

a sound process for performing a processing relating to the output of the background sound,

wherein a type of the event place is determined and the echo process is applied on the background sound in response to the determined type of the event in the sound process step at a time when the background sound output command is issued in the main process step.